



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/572,643

03/20/2006

Hiroyuki Mochizuki

127380

4777

25944 7590 07/21/2009

OLIFF & BERRIDGE, PLC

P.O. BOX 320850

ALEXANDRIA, VA 22320-4850

EXAMINER

CROUSE, BRETT ALAN

ART UNIT

PAPER NUMBER

1794

MAIL DATE

DELIVERY MODE

07/21/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/572,643	Applicant(s) MOCHIZUKI ET AL.	
	Examiner Brett A. Crouse	Art Unit 1794	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 April 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 is/are pending in the application.
- 4a) Of the above claim(s) 5 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4 and 6-13 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>20090115;20090209</u> . | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 1794

DETAILED ACTION

1. This office action is in response to the amendment, filed 23 April 2009, which amends claims 1, 2, 3, 4, 5, 6, and 7. Claims 1-4 and 6-13 are under consideration.

Response to Amendment

2. The rejection(s) of: claims 1-4, 6-9, and and13 under 35 U.S.C. 102(b) as being anticipated by Samuel et al., US 6,313,261 is withdrawn.

Claim Rejections - 35 USC § 102

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-4, 6-13 are rejected under 35 U.S.C. 102(e), as being anticipated by Yu et al., US 7,098,060.

Yu teaches:

Art Unit: 1794

Column 4, line 42 through column 5, line 26, column 5, lines 41-56, figures 1, 2, teaches an electroluminescent device.

Column 5, lines 27-40, teach the distribution of dopant in the polymer layer can be uniform or non-uniform. The passage additionally teaches the dopants are diffused in the polymer.

Column 6, lines 9-25, teach the dopant distribution in the polymer layer is readily tuned to optimize emission and device performance.

Column 6, lines 26-49, teach the diffusion of dopants into the polymer layer.

Column 7, line 59 through column 8, line 9, teach a polymer buffer layer. The polymer can be doped or undoped. The passage teaches various deposition methods.

Column 8, lines 10-57, teach various polymer hosts such as poly(paraphenylenevinylene), polyphenylenes and polyalkylthiophenes. The passage also teaches various dopants for the polymer hosts.

Column 8, line 58 through column 9, line 13, figure 3, teaches an electron injection/transport layer. The layer can comprise conjugated polymers, various small molecules and combinations thereof.

Column 11, lines 26-57, example 2, teaches vapor deposition and diffusion of a coumarin green fluorescent dopant into a layer of a poly(p-phenylene) derivative.

Column 13, lines 21-51, examples 7 and 8, teach electroluminescent devices having various fluorescent and phosphorescent dopants diffused therein.

Art Unit: 1794

5. Claims 1, 2, 6-10, 13 are rejected under 35 U.S.C. 102(b) as being anticipated by Tang et al., US 6,066,357, with further evidence provided by Tang et al., US 4,769,292.

Tang teaches:

Column 7, line 44 through column 8, line 39, figure 5, teach an electroluminescent device structure.

Column 8, line 60 through column 9, line 7, column 9, lines 23-32, figures 6 and 7, teach vapor deposition of the dopant and diffusion of the dopant into the polymer layer.

Column 9, line 66 through column 10, line 16, figure 8, teach vapor deposition of dopants which emit red, green and blue light and subsequent diffusion of the dopants into the polymer layer.

Column 10, lines 33-46, claim 8, teach various preferred classes of dopants including coumarins and perylenes.

Column 8, lines 5-11, claim 4, teaches various host polymers including polyparaphenylene, polyparaphenylene vinylene and polythiophene.

Tang et al., US 4,769,292 as further evidence (incorporated by reference into US 6,066,357):

Tang '292 teaches perylene as an electron transporting material.

6. Claims 1, 2, 3, 4, 6, 7, 10 are rejected under 35 U.S.C. 102(b) as being anticipated by Seo, US 2002/0028349.

Seo teaches:

Art Unit: 1794

Paragraphs [0032]-[0035], teach techniques for forming a doped polymer layer. The techniques include contacting the polymer with a dopant material in the vapor phase. The passage additionally teaches the various doping techniques such as chemical doping and electrochemical doping are substantially equivalent to the diffusion of dopant molecules.

Paragraphs [0031], [0039]-[0040], [0068], teach the use of doped polymer layers as charge transport and light emitting layers.

Paragraph [0069], teaches the metal containing polymer can be used as a hole or electron transporting material layer.

Paragraphs [0071]-[0075], teach various electron accepting and electron donating dopants.

Paragraphs [0084]-[0091], [0092]-[0099], embodiments 1 and 2, teach an electroluminescent device having a doped polymer layer as the light emitting layer.

Paragraphs [0100]-[0104], embodiment 3, teach an electroluminescent device having a doped polymer layer as a charge transport layer.

7. Claims 1-4, 6-13 are rejected under 35 U.S.C. 102(b) as being anticipated by Matsuo et al., EP 1,143,773.

Matsuo teaches:

Paragraph [0243], teaches various polymers for the organic layer including PPV. The passage additionally teaches the polymer can be mixed with hole or electron transporting materials.

Paragraphs [0168], [0237]-[0238], [0240], teach electron and hole transporting materials.

Art Unit: 1794

Paragraphs [0146], [0159], teaches the polymer can have both charge transport and luminous materials therein.

Paragraphs [0135]-[0162], [0167]-[0174], teach electroluminescent devices, structure and materials.

Paragraph [0248], teaches that the luminescent dopant is preferably steamed after deposition. This is equated with diffused into the host polymer. The passage also indicates this is preferred in the techniques of examples 2-1 and 2-2.

Paragraphs [0255]-[0264], examples 2-1, 2-2, table 2, teach the preparation of electroluminescent device.

Paragraphs [0265]-[0269], example 2-4, table 2, teach as a comparative example the formation of the doped polymer layer by co-deposition from solution by spin coating. The device performance is compared with examples 2-1 and 2-2 and tabulated in table 2.

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claims 1-4, 6-9, 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Samuel et al., US 6,313,261, in view of Matsuo et al., EP 1,143,773.

Art Unit: 1794

Samuel teaches:

Claim 1, teaches a light emitting device comprising at least two polymer semiconducting layers. The layers further comprise a hole transporting polymer layer and an electron transporting polymer layer. The claim further teaches that the electron transporting polymer layer additionally comprises a conjugated polymer.

Claim 10, teaches various electron transport polymers. The passage also teaches the polymer can be doped.

Claim 13, teaches the hole transporting polymer can be a conjugated polymer. Various polymers are claimed including polyparaphenylene, polyparaphenylenevinylene derivatives and polythiophene derivatives. The passage also teaches the polymer can be doped.

Column 2, line 11, identifies phase separation as an issue of doped polymers.

Column 3, lines 25-29, teaches various deposition techniques including electro vacuum deposition processes.

Samuel does not recite:

Samuel does not recite diffusion of the dopant into the polymer layer.

Matsuo teaches:

Paragraph [0243], teaches various polymers for the organic layer including PPV. The passage additionally teaches the polymer can be mixed with hole or electron transporting materials.

Paragraphs [0168], [0237]-[0238], [0240], teach electron and hole transporting materials.

Art Unit: 1794

Paragraphs [0146], [0159], teaches the polymer can have both charge transport and luminous materials therein.

Paragraphs [0135]-[0162], [0167]-[0174], teach electroluminescent devices, structure and materials.

Paragraph [0248], teaches that the luminescent dopant is preferably steamed after deposition. This is equated with diffused into the host polymer. The passage also indicates this is preferred in the techniques of examples 2-1 and 2-2.

Paragraphs [0255]-[0264], examples 2-1, 2-2, table 2, teach the preparation of electroluminescent device.

Paragraphs [0265]-[0269], example 2-4, table 2, teach as a comparative example the formation of the doped polymer layer by co-deposition from solution by spin coating. The device performance is compared with examples 2-1 and 2-2 and tabulated in table 2. The devices of examples 2-1 and 2-2 in which the dopant was diffused into the host polymer having a current efficiency of 2.5 times that of the device of example 2-4 in which the dopant was incorporated into the host polymer by co-deposition.

It would have been obvious to one of ordinary skill in the art to form the doped polymer layer of Samuel by the diffusion technique of Matsuo in order to achieve the improved device performance as suggested by Matsuo in the device of Samuel.

Response to Arguments

Art Unit: 1794

Applicant argues unexpected results opposite the rejections of record. This is not found persuasive as the rejections of Yu, Tang, Seo and Matsuo applied under 35 USC 102. Attention is directed to MPEP 2131.04. Evidence of secondary considerations such as unexpected results cannot overcome a rejection under 35 USC 102. *In re Wiggins*, 488 F.2d 538, 543, 179 USPQ 421, 425 (CCPA 1973). The prior art references Yu, Tang, Seo and Matsuo provide a doped polymer layer in which the dopant can be provided to the polymer layer via diffusion.

Applicant also argues that the Yu, Tang, Samuels, and Matsuo references alone or in combination do not teach or suggest the contacting of the polymer layer with a gaseous dopant. The claim limitation of “causing gas molecules of at least one type of compound selected from the group consisting of dyes and charge transport materials to contact and penetrate” the polymer is in product by process form. The references provide a doped polymer layer in which the dopant can be provided to the polymer layer via diffusion.

With regard to Seo applicant argues Seo does not teach or suggest of “causing gas molecules of at least one type of compound selected from the group consisting of dyes and charge transport materials to contact and penetrate” the polymer. Attention is direct to paragraph [0034], of Seo which teaches exposing the polymer to gaseous dopants and allowing the dopants to diffuse into the polymer.

Applicant has additionally submitted a declaration directed to a comparison of spin coating versus diffusion. The declaration is not persuasive as it does not address the structures formed by diffusion in the prior art rejections.

Conclusion

10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Macromolecules, (1990), Volume 23, Number 15, Pages 3675-3682, is a conductivity study of PPV in which the diffused dopants contact the polymer in gaseous form.

11. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Contact Information

Art Unit: 1794

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brett A. Crouse whose telephone number is (571)-272-6494. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, D. Lawrence Tarazano can be reached on 571-272-1515. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/B. A. C./
Examiner, Art Unit 1794

/D. Lawrence Tarazano/
Supervisory Patent Examiner, Art Unit
1794